How To Use WordPress Gutenberg Editor Blocks

metrainingmanual.com/wordpress-tutorials/gutenberg-blocks

June 10, 2020



WordPress Training

WordPress Block Editor – How To Use Blocks



WordPress Block Editor – How To Use Blocks

This tutorial is part of our series on <u>How To Use The WordPress Block Editor</u> (<u>Gutenberg</u>).

In this tutorial, you will learn what **Blocks** are and how to work with blocks when creating or editing content.


Links to detailed tutorials on how to use many default WordPress content editor blocks are provided at the end of this tutorial.

For a complete understanding of how to use the WordPress Block Editor, see these tutorials:

WordPress Gutenberg: A Block-Based Content Editor

As mentioned in our **overview of the WordPress Block Editor**, WordPress 5.0 introduced a new content editor called **Gutenberg** (named after Johannes Gutenberg, who invented the printing press over 500 years ago).

The Gutenberg editor (now referred to simply as the *Block Editor*) aims to simplify the content creation and content editing process in WordPress using 'blocks'.



The WordPress Block editor includes many default blocks.

WordPress Block Editor – What Are 'Blocks'?

Think of 'blocks' as being the smallest units or *modules* you can use on your site to build something or get something done.

This could be adding a paragraph of text, a layout or media element, or some other functionality.

Imagine too, that no matter how different each block's purpose may be, they all fit and work together seamlessly (like 'Lego' blocks).

By combining different blocks, you can build complex web pages with sophisticated layouts and modular functionality.

WordPress, however, aims to extend the functionality of blocks beyond just creating content pages on your site.

Imagine turning your entire web presence into a giant *Plug'n'Play* site where you can combine content blocks with block-based plugins, widgets, themes, third-party apps, integrations, etc., and add these seamlessly anywhere to your site at any time with just the click of a button and without requiring any coding skills.

One of the main advantages of switching to a block-based content editor is that it opens your website up to many possibilities for simplified future development.

For example, WordPress's block-based environment allows third-party developers to create new block types that can integrate seamlessly with your existing website, giving you the power to add a whole new level of functionality to your web presence without having to start from scratch or make major changes to what you have already built.


Focusing back on the content editor, *Blocks* let you add different types of content (e.g. paragraphs, images, quotes, multimedia, etc.) into your posts and pages and rearrange your post/page layouts using features like:

- **'Point and click'** (e.g. move your cursor over an item and click to select it or add an element to your page).
- 'Drag and drop' (e.g. rearrange your page layout).
- Resizing handles (e.g. for resizing images).
- Drop-down menus (e.g. select one of several options to configure a setting).
- *Incremental Sliders* (e.g. slide right or left to increase or decrease values, adjust widths, etc.)
- Value fields (e.g. enter a number of items to display for an element).
- Up and down arrows (e.g. move content sections up and down the page).

WordPress has published a great video introduction to publishing content with the block editor. To watch this video, **<u>go here</u>**:

Working With Blocks

As mentioned earlier, with the Gutenberg editor, adding content to posts and pages is all done using 'blocks'.



Sample Post

Lorem ipsum dolor sit amet, cons incididunt ut labore et dolore ma

Augue lacus viverra vitae congue (suspendisse faucibus interdum po varius duis at.

Tempus egestas sed sed risus pre mauris ultrices eros in cursus turp viverra adipiscing at in tellus integ etiam tempor orci eu. At ultrices r nullam vehicula ipsum a arcu curs

Just some of the blocks you can use to create posts and pages on your site.


The Block Editor contains tools that let you select and insert different blocks into your content.

Let's go through these tools:

Block Inserter Tool


The Block Inserter tool (Add Block) can be accessed from the **<u>Editing Toolbar</u>**, or inside the **<u>Content Area</u>**.

The Add Block tool is the button with the [+] sign. It is the second button on the top left side of the Editing Toolbar.



Use the Add Block tool to view and insert blocks into your posts and pages.

You can also access the Add Block tool inside the content area by clicking above or below an existing block.



Add Blocks inside the content area.

The 'Add Block' tool is divided into the following tabbed sections:


- **Blocks** Blocks are the building elements of your content. This section displays a list of all the default and installed blocks in your content editor.
- **Patterns** Patterns are predefined block layouts (groups of blocks) created by designers. This section is explained further below.
- **Reusable Blocks** Reusable blocks can be used repeatedly in your content. *Note:* You must create at least one *Reusable Block* for this section to display in the Add Block tool's tabbed menu section.

Additionally, the Blocks menu contains a 'Search' field and different menu sections:

- Most Used
- Common Blocks
- Formatting
- Layout Elements
- Widgets
- Embeds

• **Reusable Blocks** – *Note:* You must create at least one *Reusable block* for this section to display in the Add Block tool's menu.

To insert a block into the content editor, either search for the block inside the 'Add Block' tool and then click on the block or scroll down the list and click on the block. If you're not sure what a particular block does, hover over it and a description will pop up.



Search and add blocks to your content using the Add Block tool.

You can also add a block to your content by selecting it and then dragging and dropping it into place.

Ι



Lorem Ipsum Dolor Sit Amet



Document

Add blocks to your content using drag and drop.



To learn more about the block types found in each of these sections, see the links provided at the end of this tutorial.

Block Directory

Just like plugins and themes, you can also add blocks to endlessly extend your site's functionality.

This is where the **Block Directory** comes in handy.

After the block editor became the new default WordPress editor, WordPress made the creation of a Block Directory one of its next priority projects.

While the default block editor includes a sizeable number of useful blocks already, the Block Directory allows web and plugin developers to create and add new types of blocks with specific functionalities to the Block editor.

It also allows users to discover, test, and install new blocks for their website without leaving the editor, as the Block Directory is built right into the block editor.


You can install blocks from the built-in Block Directory into your site using the Add Block tool.

Just search for a specific functionality you would like to add to your content and a list of blocks matching your search will display inside the menu.



Note: The block directory is only available to users that have the capabilities to install and activate plugins on their site.

To download and install these custom blocks, click on the Add block button.



Add new blocks to your content from the Add Block tool using the built-in Block Directory.

You can also access the Block Directory while working inside the content area by selecting the Block Inserter tool and clicking on the **Browse all** link.

	Search for a blo	Q	
	¶ Paragraph	Heading	Image
	Gallery	 List	JJ Quote
	(Browse all	
t writing or type / to choose a block			+

Click on the Add Block tool's Browse All link inside the content area to access a list of blocks from the Block Directory.

The WordPress team has put together <u>a great video that explains how the Block</u> <u>Directory works</u>.


Block Patterns

Block Patterns are predefined block layouts (groups of blocks) that you can insert into your posts and pages and then tweak and customize to suit your needs.

Block patterns allow web designers to create complex, beautiful, and stylized layouts using combinations of text and media blocks that you can then instantly add to you enhance the look and feel of your content without having to design or create these yourself.


Block patterns can be found in a wide variety of plugins and themes, with more patterns being constantly added as WordPress evolves.

Like Blocks, you can select and add patterns into your content from the Inserter tool.




Create complex content layouts using Block Patterns.

Just select and click on a Pattern and it will be automatically added to your content.



Click on a Pattern to insert it into your content.

You can then easily tweak and customize the block elements inside the Block Pattern to suit your needs.



Block Patterns can be easily tweaked and edited to suit your needs.


The WordPress team has also put together <u>a video explaining how Block Patterns work</u>.

Block Editors

Depending on the type of block you add to your post or page, you will see that each block has its own Block Editor with a menu of options that let you change things like format, add or remove links, replace color, change the alignment of elements, etc.

These appear when you click inside the block.

For example, here is the Block Editor of a Paragraph block ...




Block Editor – Paragraph block

Each block also has its own set of controls that will display in the **<u>Settings section</u>** when you select the block.

Some blocks let you adjust various settings, and some blocks have few or no settings.

Also, many blocks share common settings. We cover these in our **WordPress Block Settings** section.

You can show or hide these settings from the Block Editor's *More Options* menu. Click the three dots (vertical ellipsis) to reveal additional settings in your Block Editor.



Each block type has its own set of controls with additional options and settings.

For a great overview of how Block settings work in the WordPress Block Editor and how to adjust these, see the video below:

- For in-depth tutorials about using different types of blocks, see the links at the end of this tutorial.
- To learn how to configure common block settings, see this tutorial: <u>WordPress Block</u> <u>Editor: Block Settings</u>

Block Editor Settings

As mentioned in the previous section, every block type has its own set of controls with additional settings and options.


All block types, however, follow a similar build structure.

Some of the universal elements you will find in most Block Editors include features that let you:

- Move Blocks
- Change Block Type or Style
- Access Additional Options
- Access Advanced Block Settings


Moving Blocks

You can easily reorder, rearrange, or reposition blocks in your content using 'move up' and 'move down' arrows in the Block Editor.



Reorder blocks on your post or page using the up and down arrows.

You can also place blocks wherever you like and rearrange the layout of your content in your post or page using drag and drop.



Rearrange blocks on your page using drag and drop.

Additionally, you can move blocks using the *Move To* function in the **More Options** menu (this is explained further below).


Moving blocks is covered in more detail in our tutorial on how to use the Block Editor's Content Area.

Change Block Type Or Style

Some blocks allow you to easily change or substitute the block type or style.

This feature is useful for converting content from one type into another without having to insert a new block and transfer its content over.

For example, here are the options available for changing a Paragraph Block into another type of block (e.g. a **Quote block** or **Verse block**)...



You can easily change some blocks into other types of blocks.

Block Editor Settings – Options

Another common element of block editors is the 'Options' section, which includes the following standard settings:

- Show/Hide Block Settings
- Copy Block
- Duplicate
- Insert Before
- Insert After
- Move To
- Edit as HTML
- Lock
- Create Reusable Block
- Group
- Remove Block

To display the 'Options' menu, click on the three dots (vertical ellipsis) on the Block Editor menu.

П	::	^	-	В	1	(-)	~	Options	
This	is a	para	agrapl	n bloo	:k.			Options Show more settings Ctrl+Shift	+,
								Copy block	
								Duplicate Ctrl+Shift+	D
								Insert before Ctrl+Alt+	·Т
								Insert after Ctrl+Alt+	·Υ
								Move to	
								Edit as HTML	
								Lock	
								Create Reusable block	>
								Group	
								Remove Paragraph Shift+Alt+	Z

WordPress Block Editor – Options Menu.

Let's go through each of these settings.



Once you're familiar with the settings below, you can save time accessing these features using **Keyboard Shortcuts**.

Show/Hide Block Settings

Hiding block settings lets you work on your content free of distractions (i.e. ('Distraction-Free' Mode).

🛞 🛨 🖌 🕤	→ ① <u>–</u>		Switch to draft	Preview	Update	۵	:
Lu di m p el	Orem Insum Dolor Sit An ¶ = B / ↔ ✓ orem ipsum dolor sit amet, conse ignissim hendrerit. Sed nec dolor nattis erat, non imperdiet diam lac ulvinar vel in neque. Nunc vel fring lementum, aliquam libero. Praese retium magna, ut hendrerit arcu n	Show Block Settings Ctrl+Shift+ Copy Duplicate Ctrl+Shift+E	y Quisq sto lacini uscipit lo tique, era	ue varius ia rem			

More Options – Show/Hide Block Settings

To hide block settings:

- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu
- Click 'Hide Block Settings' to hide the 'Settings' sidebar from view.
- Click 'Show Block Settings' to display the 'Settings' sidebar on your content editor again.

ore	m Ins	sum	Dol	or S	it An	net	
¶	Ξ-	в	1	(-)	~	:	I

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem elementum, aliquam libero. Praesent sagittis, ante sed scelerisque tristique, erat est pretium magna, ut hendrerit arcu mauris a lorem.

Use this function to show or hide your block settings.

Copy Block

This function copies all the content inside your selected block to your clipboard (e.g. text, images, etc.) and preserves all formatting tags.

This function is useful if you would like to copy and paste the content from a block into a different post or page.

¶ ∷ ↓ = B / ↔ ✓	:		
Lorem ipsum dolor sit amet, consect	Show more settings Ctrl+Shift+,		
maximus et sapien ut maximus. Mau	Copy block		
accumsan ante euismod vitae. Nulla	Duplicate Ctrl+Shift+D		
quam eu, eleifend lacus. Etiam conse	Insert before Ctrl+Alt+T		
Aliquam non risus efficitur, feugiat ip Morbi pulvinar sed mauris id laoreet	Insert after Ctrl+Alt+Y		
, Vivamus sit amet volutpat dolor. Qui	Move to		
scelerisque mi vehicula vel. Aenean p	Edit as HTML		
Donec porttitor lorem in ligula finibu	Lock		
	Create Reusable block		
	Group		
	Remove Paragraph Shift+Alt+Z		

More Options – Copy setting.

Note: if you plan to reuse the same block content often, you can also turn the block into a **Reusable block** – see further below for more details.

To copy content from a block to your clipboard:

- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu
- Select 'Copy' to copy all the content from the block to your clipboard.
- Use the normal 'Paste' function to paste the content into another block (e.g. on a different post or page), save the block content to a text file, etc.

\$


```
Lorem Ipsum Dolor Sit Amet I
```

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem elementum, aliquam libero. Praesent sagittis, ante sed scelerisque tristique, erat est pretium magna, ut hendrerit arcu mauris a lorem.

Use this function to copy content from a selected block to your clipboard.

Duplicate

This setting lets you save time recreating an existing block. Use the Duplicate setting to create and add an identical copy (i.e. a *clone*) of any selected block into your content, then tweak the content on your duplicated block to suit your needs.



More Options - Duplicate setting.

To duplicate a block:

- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu.
- Click 'Duplicate'.
- Edit and/or reposition the duplicated block if required.
- Save your post or page to update your content.

\$

Lorem Ipsum Dolor Sit Amet


I

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem elementum, aliquam libero. Praesent sagittis, ante sed scelerisque tristique, erat est pretium magna, ut hendrerit arcu mauris a lorem.

Use this function to duplicate a block.

Insert Before

This setting lets you insert a new block into your content *above* the block you are currently working on.



More Options - Insert Before setting.

To insert a block above your selected block:

- Select the block where you want to insert a new block before it.
- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu.
- Click 'Insert Before'.
- A new block 'placeholder' will be inserted above your selected block.
- Use the 'Add Block' tool to select the type of block you want to add to the new block placeholder.
- Save your post or page to update your content.

+

Lorem Ipsum Dolor Sit Amet

Ι

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem elementum, aliquam libero. Praesent sagittis, ante sed scelerisque tristique, erat est pretium magna, ut hendrerit arcu mauris a lorem.

Use this function to insert a block before a selected block.

Insert After

This setting lets you insert a new block into your content *below* the block you are currently working on.

₩ + / 5 ~ 0 =	Swite	ch to draft Preview	Update	۵	:
Lorem Insum Dolor Sit Au $\P = B / c \to \checkmark$ Lorem ipsum dolor sit amet, conse dignissim hendrerit. Sed nec dolor mattis erat, non imperdiet diam la pulvinar vel in neque. Nunc vel frir elementum, aliquam libero. Praese pretium magna, ut hendrerit arcu	: Show Block Settings Ctrl+Shift+, Copy Duplicate Ctrl+Shift+D	isi varius ipsum is. Quisque varius sto lacinia uscipit lorem tique, erat est			

More Options – Insert After setting.

To insert a block below your selected block:

- Select the block where you want to insert a new block after it.
- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu.
- Click 'Insert After'.
- A new block 'placeholder' will be inserted below your selected block.
- Use the 'Add Block' tool to select the type of block you want to add to the new block placeholder.
- Save your post or page to update your content.

+

-

Ċ

Lorem Ipsum Dolor Sit Amet


Ι

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem elementum, aliquam libero. Praesent sagittis, ante sed scelerisque tristique, erat est pretium magna, ut hendrerit arcu mauris a lorem.

Use this function to insert a block after a selected block.

Move To

This function lets you reposition a block on your post or page using your keyboard instead of clicking on the Block Editor's Move Up and Down arrows or using the drag and drop handle.



More Options – Move To setting.

To move a block:

- Select the block you want to move to a different location on your post or page.
- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu.
- Select 'Move to'.
- A blue horizontal line will display above the block.
- Move the blue horizontal line up and down your content using your keyboard's 'up' and 'down' arrow keys until the line is in the desired location you want the block moved to.
- Hit the 'Enter' key.
- Your selected block will be moved to the new location on your post or page.

Lorem Ipsum Dolor Sit Amet

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem elementum, aliquam libero. Praesent sagittis, ante sed scelerisque tristique, erat est pretium magna, ut hendrerit arcu mauris a lorem.



Use this function to move your selected block to a different location in your content.


Edit as HTML

Normally, you view, edit, and format your content using a visual editor. This setting lets you view and edit the block's underlying <u>HTML code</u>.

0

۵

Update



More Options - Edit as HTML setting.

To view and edit a block's HTML code:

- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu.
- Click 'Edit as HTML'.
- The block content will switch to the HTML editor.
- To return to the visual editor, select the 'More Options' menu again and click on 'Edit visually'.
- Save your post or page to update your content.

\$

Lorem Ipsum Dolor Sit Amet

I

Lorem ipsum dolor sit amet, <u>consectetur adipiscing elit</u>. Aenean **quis nisi varius** ipsum dignissim hendrerit. *Sed nec dolor* eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem elementum, aliquam libero. Praesent sagittis, ante sed scelerisque tristique, erat est pretium magna, ut hendrerit arcu mauris a lorem.

Use this function to view and edit the HTML code of your block.

Copy and Paste Styles

In <u>version 6.2</u>, WordPress introduced the option to copy and paste one block's styles to other blocks for a more consistent appearance.

¶ ∷ ↓ = B / Ø ~	:	
Lorem ipsum dolor sit amet, consectetur dolor non euismod. Suspendisse mattis i	Copy block	het
posuere vitae. Morbi quis malesuada dia	Duplicate Ctrl+Shift+D	5
posuere in at dui. Nullam nulla justo, bib	Insert before Ctrl+Alt+T	erra
augue. Ut dignissim ut felis id faucibus. F	inservator contract	
egestas, scelerisque sit amet ante. Duis v	Move to	u
magna. Praesent eget nibh ut neque ultr	Edit as HTML	
	Copy styles	
	Paste styles	
	Lock	
	Create Reusable block	
	Group	
	Remove Paragraph Shift+Alt+Z	

More Options - Copy and Paste Styles

To copy and paste a block's style:

- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu.
- Select 'Copy styles'
- Select the block you want to apply the copied styles.
- Select 'Paste styles'
- The copied styles will be applied to the new block.
- Save your post or page to update your content.

Lock

Block locking helps to prevent important blocks from being moved on the page or accidentally removed by users.

You can lock core and experimental blocks in WordPress.

Web developers can perform several types of block locking to prevent users from:

- Inserting blocks.
- Removing blocks.
- Moving blocks using drag or drop, arrow keys, or the list view.
- Editing anything except text and media.
- Restrict the editing of reusable blocks.

Users can lock and unlock blocks in the editor, depending on their user permissions.


¶ ∷ ≎ =	В	Ι	(-)	~	:				
Lorem ipsum dolc	or sit a	met		diniccina alit Integar					
maximus et sapien ut maximus. Mau						/ more settings Ctrl+Shift+,			
accumsan ante eu	ismoc	l vita	ae. I	Nulla	Сору	block			
quam eu, eleifend	lacus	. Etia	am	cons	Dupl	icate Ctrl+Shift+D			
Aliquam non risus	efficit	tur, '	feug	giat i	Inser	t before Ctrl+Alt+T			
Morbi pulvinar se	d mau	iris i	d la	oree	Inser	t after Ctrl+Alt+Y			
Vivamus sit amet	volutp	oat c	lolo	r. Qu	Move	Move to			
scelerisque mi veł	nicula	vel.	Aer	nean	Edit a	Edit as HTML			
Donec porttitor lo	rem ir	n lig	ula	finib					
					Lock				
						e Reusable block			
-					Grou	р			
					Remo	ove Paragraph Shift+Alt+Z			

More Options – Lock setting.

Choosing to lock a block brings up a pop-up window giving you a choice of the following attributes:


Lock all – Tick this box to enable all lock options or select the individual options below:

- **Disable movement** Prevents users from moving blocks using drag or drop, arrow keys, or the list view.
- **Prevent removal** Prevents users from deleting the block
- **Apply to all blocks inside** This option appears in the modal when locking the inner blocks of container blocks such as **Group**, **Cover**, and **Columns**.




Block locking options.

The **Apply to all blocks inside** toggle appears when working with grouped blocks.



Container blocks include an additional option to lock all blocks inside the group.

You can tell that a block is locked if the padlock icon displays in the block menu toolbar.



This block is locked.

To unlock a blocked lock, either:

Click on the padlock icon in the block menu toolbar and select unlock options...

¶	

В

=

/ --- × i

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer maximus et sapien ut maximus. Mauris commodo libero nisi, sed accumsan ante euismod vitae. Nullam vel nisl venenatis, imperdiet quam eu, eleifend lacus. Etiam consequat commodo dignissim. Aliquam non risus efficitur, feugiat ipsum sit amet, consectetur est. Morbi pulvinar sed mauris id laoreet. Donec a commodo metus. Vivamus sit amet volutpat dolor. Quisque semper ante augue, id scelerisque mi vehicula vel. Aenean porta lacus sit amet lacinia mollis. Donec porttitor lorem in ligula finibus, eget luctus lorem lacinia.

Click on the padlock icon to unlock the block.

Or click on the Options menu and select Unlock

¶ ≙ <u></u> = B /	(-) ~	:	
Lorem ipsum dolor sit ar	met, con	contotur adipiccina ali	t Integer
maximus et sapien ut ma	aximus. I	Show more settings	Ctrl+Shift+,
accumsan ante euismod	vitae. N	Copy block	
quam eu, eleifend lacus.	Etiam co	Duplicate	Ctrl+Shift+D
Aliquam non risus efficitur, feugia		Insert before	Ctrl+Alt+T
Morbi pulvinar sed mauris id laor		Insert after	Ctrl+Alt+Y
Vivamus sit amet volutpat dolor.		Edit as HTML	
scelerisque mi vehicula v	/el. Aene		Illis.
Donec porttitor lorem in	ı ligula fi	Create Reusable block	

Click Unlock to unlock a locked block.

Note: depending on user permissions, a user may not be able to unlock a block that has been locked by an administrator or developer.

Create Reusable Block

This setting lets you store a customized block that can be reused anywhere you like on your site.

¶ ::: 🗘 😑 🛛 B / ເ-> 🗸	:
Lorem ipsum dolor sit amet, consect	Show more settings Ctrl+Shift+,
maximus et sapien ut maximus. Mau	Copy block
accumsan ante euismod vitae. Nullar	Duplicate Ctrl+Shift+D
quam eu, eleifend lacus. Etiam conse	Insert before Ctrl+Alt+T
Aliquam non risus efficitur, feugiat ip	Insert after Ctrl+Alt+Y
Morbi pulvinar sed mauris id laoreet Vivamus sit amet volutpat dolor. Qui	Move to
scelerisque mi vehicula vel. Aenean p	Edit as HTMI
Donec porttitor lorem in ligula finibu	
	Create Reusable block
	Group
	Remove Paragraph Shift+Alt+Z

More Options – Create Reusable block setting.

To save a block as a reusable block:

- Click anywhere inside the block to view the Block Editor.
- Select the 'Options' menu.
- Click 'Create Reusable Block'.
- Give the newly-created block a name and click Save.
- Your block will be stored in your site's 'Blocks' library.

¶ ∷ ≎ =	B / ↔ :			
·	or sit amet, consect _{Show more settings} n ut maximus. Mau	Ctrl+Shift+,		
accumsan ante quam eu, eleife	Create Reusable block X	Ctrl+Shift+D Ctrl+Alt+T		
Aliquam non ri Morbi pulvinar	Lorem Ipsum	Ctrl+Alt+Y		
Vivamus sit am Cance scelerisque mi Um				
Donec porttitor lo	prem in ligula finibu _{Lock}			
	Create Reusable block	\otimes		

Note: Reusable blocks are *global*. This means that any edits you make to a reusable block will be applied to every instance of that repeatable block used on your site.


Ŵ	+ 2	$\leftrightarrow \rightarrow \odot =$	Switch to draft	Preview	Update	۵	÷
		Lorem Ipsum Dolor Sit Amet					
		Lorem ipsum dolor sit amet, <u>consectetur adipiscing elit</u> . Aenean ipsum dignissim hendrerit. <i>Sed nec dolor</i> eget est convallis facilisi varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sag elementum, aliquam libero. Praesent sagittis, ante sed scelerisqu pretium magna, ut hendrerit arcu mauris a lorem.	is ac non felis. x tincidunt just gittis, suscipit lo	Quisque o lacinia orem			

Use this function to add a selected block to your site's Reusable block library.

To learn more about creating, editing, using, and managing reusable blocks, see this tutorial: **<u>Reusable blocks</u>**

Group

This setting lets you group different blocks together.



More Options – Group setting

To group blocks together:

- Either:
 - Drag your cursor to highlight a group of blocks, or
 - Hold down the 'Shift' key and click on the blocks you want to group together
- A Block Editor will display after you have selected multiple blocks.
- Either:
 - Click on the left-hand icon (i.e. the two overlapping boxes) and select 'Transform to Group', or
 - Click on the three dots (vertical ellipsis) to expand the 'More Options' menu and then select 'Group'.
- Your selected blocks will be grouped together.
- You can also ungroup the blocks using the same process.

Update

Ċ

Lorem Ipsum Dolor Sit Amet

Cat Herding Secrets

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis.



Mauris sollicitudin rutrum rhoncus. Pellentesque ut odio elementum, tristique felis sit amet, volutpat ligula. Maecenas faucibus efficitur hendrerit.

Use this function to group blocks together.

Note: You cannot move other blocks on your post or page (eg using the 'Move to' function) between grouped blocks.

Remove Block

This setting lets you remove a block that you no longer need from a post or page.

₩ + 4 5 -	⊕ <u>=</u>		Switch to draft	Preview	Update	¢	:
¶ II Lorem ip dignissin mattis er pulvinar elementu	Delor Sit Amet C = B / ↔ ✓ Desum dolor sit amet, consectetur ad in hendrerit. Sed nec dolor eget est rat, non imperdiet diam lacinia eu. Y vel in neque. Nunc vel fringilla dui. um, aliquam libero. Praesent sagitt magna, ut hendrerit arcu mauris a	: Show Block Settings Copy Duplicate Insert Before Insert After Move To Edit as HTML Add to Reusable blocks Group Remove block	Ctrl+Shift+, Ctrl+Shift+D Ctrl+Alt+T Ctrl+Alt+Y	s ipsum jue varius iia orem at est +			

More Options – Remove block setting.

To remove a block from your post or page:

- Select the block you want to remove.
- Click anywhere inside the block to view the Block Editor.
- Select the 'More Options' menu.
- Click 'Remove Block'.
- Your block will be deleted from your post or page.
- Save your post or page to update your content.

Update

¢

Ŵ + / ∽ ~ 0 =

Lorem Ipsum Dolor Sit Amet

Cat Herding Secrets

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis.



Mauris sollicitudin rutrum rhoncus. Pellentesque ut odio elementum, tristique felis sit amet, volutpat ligula. Maecenas faucibus efficitur hendrerit.

This function lets you remove a block.

To hide the 'More Options' menu, click on the three dots (vertical ellipsis) on the Block Editor menu.


₩ +	∠ ∽ → ① =	Switch to draft Preview Update 🗘 :
	Lorem Ipsum Dolor Sit Amet	Click to hide More Options menu
	¶ ∷ û ≕ B I ↔ Lorem ipsum dolor sit amet, consectetur ac dignissim hendrerit. Sed nec dolor eget est	Characterized and children
		Add to Reusable blocks Group Remove block Shift+Alt+Z

Click on the three dots (vertical ellipsis) to hide the More Options menu.

More Rich Text Controls

Many block editors include a 'More rich text controls' section with the following options:

- Inline Code Convert selected text into code (e.g. printf("Enter a character:
 ");)
- Inline image Insert an image directly within your text (e.g. a logo or image thumbnail).
- **Strikethrough** Add a strikethrough effect to your selected text.
- **Subscript** Convert selected text into subscript text. (e.g. H₂O)
- **Superscript** Convert selected text into superscript text. (e.g. 10²)
- **Text color** Change the color of your selected text (select a color from a predefined palette or add your own custom color).



More rich text controls.

Advanced Block Settings

Many blocks contain an Advanced Settings section with advanced options such as:

- Title Attribute The title attribute can be used to add text for a tooltip, an image credit
 or a description of the image, etc. *Note:* many devices and browsers do not display this
 text.
- HTML Anchor Also known as Page Jumps or Jump Links, this allows you to link directly to any section of your page using a unique URL. <u>Learn how to use HTML</u> <u>anchors</u>.
- Additional CSS Class(es) This field lets you add multiple CSS classes to your block separated with spaces. This allows you to write custom CSS and style the block as you see fit. Note: This requires having knowledge of CSS (Cascading Style Sheets).

How To Add Blocks To Content

Blocks can be added anywhere on the page with the click of a button, inserted before or after other blocks using dropdown menus, converted into different block types, and easily reordered using 'drag and drop', or 'up and down' buttons.

You can add blocks to content in several different ways.

For example, you can add blocks:

- 1. From the 'Add Block' tool in the **<u>Editing Toolbar</u>**
- 2. From the 'Add Block' tool in the Content Area
- 3. From inside an existing block.
- 4. From your 'Reusable Blocks' library.

To learn how to add blocks to your posts and pages, see this tutorial: <u>The WordPress Block</u> <u>Editor Content Area</u>



Creating content for posts and pages using the WordPress Block Editor works the same way regardless of what type of site you have (e.g. a blog, company website, eCommerce site, etc.).

Because blocks are designed to allow your website to integrate with all kinds of new and external applications, how your content will look after publishing your posts or pages depends on various factors like:

- The <u>WordPress Theme</u> installed on your site (and any specific theme styles or customizations).
- Different block settings, options, and configurations.
- Any content modification **plugins** you have installed on your site (most plugins now include their own custom blocks for the WordPress block editor).
- Integrations with third-party applications (many third-party application developers are now also creating blocks that allow their apps to integrate seamlessly with the WordPress block editor),
- Any additional site customizations, etc.


WordPress Gutenberg Blocks

The WordPress block editor includes many useful default blocks.

	J		:::	:::::	< >
Archives	Audio	Buttons	Categories	Classic	Code
		HTML	\checkmark		
Columns	Cover	Custom HTML	Embed	File	Gallery
டு				=	•
Group	Heading	Image	Latest Comments	Latest Posts	List
∎≡			P	·	
Media & Text	More	Page Break	Paragraph	Preformatted	Pullquote
"				[/]	\checkmark
Quote	Reddit	Reusable	Separator	Shortcode	Spacer
\blacksquare	9		F	W	
Table	Twitter	Verse	Video	WordPress	YouTube


Some default WordPress blocks.

More block-enabled plugins are being continually developed by the WordPress developer community to help you extend and expand the functionality of the Gutenberg content editor.




WordPress Plugin directory – Block-Enabled Plugins. (Source: https://wordpress.org/plugins)

If you click on 'See all' in the Block-Enabled Plugins section, you can browse many plugins that offer blocks for the block-based editor to help enhance and extend your content.



Browse Block-enabled plugins in the WordPress plugin directory.


Additionally, you can search the WordPress plugins library from your dashboard for new block-enabled plugins (*Plugins* > *Add Plugins*).



Search for block-enabled plugins in the Add Plugins screen.

WordPress Block Editor – Blocks

Clicking on the 'Add Block' tool in the **WordPress Block Editor Toolbar** brings up a list of Blocks.



Choose blocks from this list.

This tool contains a 'Search' field and tabbed sections for Blocks, Patterns, and your Reusable Blocks library (you need to create at least one reusable block for this tab to display).

The **Block List** is divided into the following sections:

- Most Used (see below to learn how to add this section)
- Text
- Media
- Design
- Widgets
- Embeds
- Reusable (only displays when a reusable block is created)

See Your Most Used Blocks


If you use the same blocks often, you can display your most used blocks at the top of your block list.

			×
Search for a block			Q
Blocks	Reusable		
MOST USED			
П		Ф	
Paragraph	Image	Group	
	•=	"	
Heading	List	Quote	
TEXT			
П		•	

Most Used Blocks category.

To enable the most used blocks category, do the following:

Click the icon with the three dots (vertical ellipsis) in the top right-hand corner of the editor screen to access the 'More tools & options' section.




Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean quis nisi varius ipsum dignissim hendrerit. Sed nec dolor eget est convallis facilisis ac non felis.

Lorem ipsum dolor sit amet, <u>consectetur adipiscing elit</u>. Aenean **quis** nisi varius ipsum dignissim hendrerit. *Sed nec dolor* eget est convallis facilisis ac non felis. Quisque varius mattis erat, non imperdiet diam lacinia eu. Vivamus nec ex tincidunt justo lacinia pulvinar vel in neque. Nunc vel fringilla dui. Nullam eu lorem sagittis, suscipit lorem


Click on More tools & options...

Click on **Preferences**.




Select Preferences...

In the **Preferences > General** section, check the box next to **Show most used blocks**.



Check the box.

The 'Most Used' blocks category will now display at the top of your list of Blocks.



The Most Used blocks category now displays in the list of Blocks.

Troubleshooting Issues With Blocks

Sometimes when editing a post or page, a block will not display in your content and you will see this error message instead:



"This block contains unexpected or invalid content."

This can happen for a number of reasons:

- You created a page or post using the <u>WordPress Block Editor</u>, then edited later using the <u>WordPress Classic Editor</u>. When you go back to the Block Editor, this can affect some blocks and this message displays instead.
- 2. You modify the HTML of the block in the Code Editor and make a syntax error. You can check the HTML to make sure you have used the correct syntax (see below).
- 3. A third-party block installed via **<u>plugins</u>** can cause the error to appear if you are using an old version of the block or the markup is incorrect. If this happens, we recommend speaking to your web developer or reporting the error directly to the plugin's developer.

How To Fix Block Errors

WordPress blocks give you several options to try and fix errors when you see the message "This block contains unexpected or invalid content.":

- Attempt Block Recovery Displays as a clickable button.
- **Resolve** Select the "More options" menu by clicking on the ellipsis (three-dot) icon to access this option.
- **Convert to HTML** Select the "More options" menu by clicking on the ellipsis (threedot) icon to access this option.
- **Convert to Classic Block** Select the "More options" menu by clicking on the ellipsis (three-dot) icon to access this option.

This block contains unexpected or invalid content.	Attempt Block Recovery
	Resolve
	Convert to HTML
	Convert to Classic Block

WordPress gives you 4 options to try and fix block errors.

Let's go through each of these options:

Attempt Block Recovery


To check if the block editor can restore the block to how it was before the error appeared, click on the **Attempt Block Recovery** button.

This block contains unexpected or invalid content.



Attempt Block Recovery checks if the block editor can restore the block as it was before the error.

Clicking this button requires no technical skills and often fixes the block errors.



Clicking this button will often fix the problem.

The other options below require some technical knowledge, so if you are a non-technical user, then it's probably best to leave these to your website developer.

Nonetheless, let's go through these options:


Resolve

Select the "More options" menu by clicking on the ellipsis (three-dot) icon and select **Resolve**...

:	
This block contains unexpected or invalid content.	Attempt Block Recovery
	Convert to HTML Convert to Classic Block

Resolve attempts to automatically present a block-based solution by splitting the results into two columns:

- Left column displays code and the Convert to HTML button.
- Right column displays code and the Convert to Blocks button.



Resolve Block compares converting the invalid content to a Custom HTML block (left column) or attempting to fix errors and return the fixed content to the block it was added to.

Convert to HTML

The Convert to HTML block converts the invalid content directly into an HTML block.

Note: This is the same function as the Convert to HTML option which is part of the Resolve option above.

Select the "More options" menu by clicking on the ellipsis (three-dot) icon and select **Convert** to HTML...

:	
This block contains unexpected or invalid content.	Attempt Block Recovery
L	Resolve Convert to HTML
	Convert to Classic Block

Convert to HTML


Convert to Classic Block

To convert the invalid content into a <u>Classic block</u>, click the ellipsis (three dots) button, and choose **Convert to Classic Block** from the menu.

:	
This block contains unexpected or invalid content.	Attempt Block Recovery
	Resolve
	Convert to HTML

Convert to Classic Block


This will convert the block into a Classic block and allow you to edit the block's content using Classic editor features.



The Block with an error has been converted into a Classic block.

As mentioned above, clicking on the **Attempt Block Recovery** button will often fix most of the errors you experience with blocks and does not require any technical knowledge or skills.

If clicking on the **Attempt Block Recovery** button doesn't fix the issue, you can try exploring the other options or contact your website developer for further assistance.



Default WordPress Editor Blocks – Tutorials

For detailed tutorials on using the WordPress Block Editor's default blocks, click on the links below:

Congratulations! Now you know how to use WordPress Blocks when creating and editing content using the WordPress Block Editor.

Additional WordPress Block Editor Tutorials

To learn more about using the WordPress Block Editor, see these tutorials:



Learn how to use WordPress Editor Blocks

Updated: April 12th, 2023